

**michelle@lornay.co.za**

---

**From:** Ewulaas\_Do\_Not\_Reply@dws.gov.za  
**Sent:** Thursday, 15 May 2025 14:50  
**To:** michelle@lornay.co.za  
**Subject:** Pre-Application Water Use Enquiry has been submitted to the department (WU43240)

Dear Mrs Michelle Naylor (Consultant),

A request for consultation for the following Pre-Application Water Use Enquiry has been submitted to the department :

General Authorization for borehole - Rusty Gate (WU43240)

Your request for consultation was submitted to :

Name : Mr C. Abrahams (WUL Manager/WUAAAC Chairperson)  
e-Mail : cabrahams@bocma.co.za  
Tel : 0233468031

[Click Here to access the Application](#)

Kind Regards,

e-WULAAS on Behalf of **Department of Water and Sanitation**

Private Bag X313, Pretoria, 0001  
Sedibeng Building, 185 Francis Baard Street, Pretoria, 0001  
Tel: (012) 336 7500  
Fax: (012) 323-4472  
Website: [www.dws.gov.za](http://www.dws.gov.za)  
Email: [E-WULAASCalls@dws.gov.za](mailto:E-WULAASCalls@dws.gov.za)



**water & sanitation**  
Department:  
Water and Sanitation  
REPUBLIC OF SOUTH AFRICA



**e-WULAAS**

In e-WULAAS Notifications

**DISCLAIMER:** This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.