

**SCREENING REPORT FOR AN ENVIRONMENTAL AUTHORIZATION AS  
REQUIRED BY THE 2014 EIA REGULATIONS – PROPOSED SITE  
ENVIRONMENTAL SENSITIVITY**

**EIA Reference number:** Pending

**Project name:** Vegetation Clearance

**Project title:** Macadamia

**Date screening report generated:** 11/04/2025 15:38:30

**Applicant:** Private

**Compiler:** Lornay Environmental Consulting

**Compiler signature:**

.....

**Application Category:** Transformation of land | Indigenous vegetation

## Table of Contents

|                                                                                                                                                         |    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Proposed Project Location .....                                                                                                                         | 3  |
| Orientation map 1: General location .....                                                                                                               | 3  |
| Map of proposed site and relevant area(s) .....                                                                                                         | 4  |
| Cadastral details of the proposed site .....                                                                                                            | 4  |
| Wind and Solar developments with an approved Environmental Authorisation or applications<br>under consideration within 30 km of the proposed area ..... | 4  |
| Environmental Management Frameworks relevant to the application .....                                                                                   | 5  |
| Environmental screening results and assessment outcomes .....                                                                                           | 5  |
| Relevant development incentives, restrictions, exclusions or prohibitions .....                                                                         | 5  |
| Proposed Development Area Environmental Sensitivity .....                                                                                               | 5  |
| Specialist assessments identified .....                                                                                                                 | 5  |
| Results of the environmental sensitivity of the proposed area .....                                                                                     | 7  |
| MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY .....                                                                                                     | 7  |
| MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY .....                                                                                                  | 8  |
| MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY .....                                                                                            | 9  |
| MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY .....                                                                            | 10 |
| MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY .....                                                                                                  | 11 |
| MAP OF RELATIVE DEFENCE THEME SENSITIVITY .....                                                                                                         | 12 |
| MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY .....                                                                                                    | 13 |
| MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY .....                                                                                                   | 14 |
| MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY .....                                                                                        | 18 |

# Proposed Project Location

## Orientation map 1: General location



## Map of proposed site and relevant area(s)



## Cadastral details of the proposed site

Property details:

| No | Farm Name | Farm/ Erf No | Portion | Latitude     | Longitude    | Property Type |
|----|-----------|--------------|---------|--------------|--------------|---------------|
| 1  | ROCKLANDS | 633          | 0       | 34°23'56.92S | 19°21'43.82E | Farm          |
| 2  | ROCKLANDS | 633          | 57      | 34°24'2.41S  | 19°22'9.39E  | Farm Portion  |

Development footprint<sup>1</sup> vertices:

No development footprint(s) specified.

## Wind and Solar developments with an approved Environmental Authorisation or applications under consideration within 30 km of the proposed area

| No | EIA Reference No       | Classification | Status of application | Distance from proposed area (km) |
|----|------------------------|----------------|-----------------------|----------------------------------|
| 1  | 12/12/20/1746/1        | Wind           | Approved              | 18                               |
| 2  | 14/12/16/3/3/2/260/AM1 | Wind           | Approved              | 23.9                             |
| 3  | 12/12/20/1746          | Wind           | Approved              | 18                               |
| 4  | 14/12/16/3/3/2/260     | Wind           | Approved              | 23.9                             |
| 5  | 12/12/20/1746/AM3      | Wind           | Approved              | 18                               |

<sup>1</sup> "development footprint", means the area within the site on which the development will take place and includes all ancillary developments for example roads, power lines, boundary walls, paving etc. which require vegetation clearance or which will be disturbed and for which the application has been submitted.

## Environmental Management Frameworks relevant to the application

No intersections with EMF areas found.

## Environmental screening results and assessment outcomes

The following sections contain a summary of any development incentives, restrictions, exclusions or prohibitions that apply to the proposed development site as well as the most environmental sensitive features on the site based on the site sensitivity screening results for the application classification that was selected. The application classification selected for this report is:

**Transformation of land | Indigenous vegetation.**

### Relevant development incentives, restrictions, exclusions or prohibitions

The following development incentives, restrictions, exclusions or prohibitions and their implications that apply to this site are indicated below.

No intersection with any development zones found.

### Proposed Development Area Environmental Sensitivity

The following summary of the development site environmental sensitivities is identified. Only the highest environmental sensitivity is indicated. The footprint environmental sensitivities for the proposed development footprint as identified, are indicative only and must be verified on site by a suitably qualified person before the specialist assessments identified below can be confirmed.

| Theme                                      | Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|--------------------------------------------|-----------------------|------------------|--------------------|-----------------|
| Agriculture Theme                          |                       | X                |                    |                 |
| Animal Species Theme                       |                       | X                |                    |                 |
| Aquatic Biodiversity Theme                 | X                     |                  |                    |                 |
| Archaeological and Cultural Heritage Theme |                       |                  |                    | X               |
| Civil Aviation Theme                       |                       |                  |                    | X               |
| Defence Theme                              |                       |                  |                    | X               |
| Paleontology Theme                         |                       | X                |                    |                 |
| Plant Species Theme                        |                       |                  | X                  |                 |
| Terrestrial Biodiversity Theme             | X                     |                  |                    |                 |

### Specialist assessments identified

Based on the selected classification, and the known impacts associated with the proposed development, the following list of specialist assessments have been identified for inclusion in the assessment report. It is the responsibility of the EAP to confirm this list and to motivate in the assessment report, the reason for not including any of the identified specialist study including the provision of photographic evidence of the site situation.


| No | Specialist | Assessment Protocol |
|----|------------|---------------------|
|----|------------|---------------------|

|   | assessment                                             |                                                                                                                                                                                                                                                                                             |
|---|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Landscape/Visual Impact Assessment                     | <a href="https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf">https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted General Requirement Assessment Protocols.pdf</a>           |
| 2 | Archaeological and Cultural Heritage Impact Assessment | <a href="https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/GuidanceforHIA.pdf">https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/GuidanceforHIA.pdf</a>                                                                                 |
| 3 | Palaeontology Impact Assessment                        | <a href="https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/GuidanceforPIA.pdf">https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/GuidanceforPIA.pdf</a>                                                                                 |
| 4 | Terrestrial Biodiversity Impact Assessment             | <a href="https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Terrestrial_Biodiversity_Assessment_Protocols.pdf">https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Terrestrial Biodiversity Assessment Protocols.pdf</a> |
| 5 | Aquatic Biodiversity Impact Assessment                 | <a href="https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Aquatic_Biodiversity_Assessment_Protocols.pdf">https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Aquatic Biodiversity Assessment Protocols.pdf</a>         |
| 6 | Socio-Economic Assessment                              | <a href="https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_General_Requirement_Assessment_Protocols.pdf">https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted General Requirement Assessment Protocols.pdf</a>           |
| 7 | Plant Species Assessment                               | <a href="https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Plant_Species_Assessment_Protocols.pdf">https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Plant Species Assessment Protocols.pdf</a>                       |
| 8 | Animal Species Assessment                              | <a href="https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted_Animal_Species_Assessment_Protocols.pdf">https://screening.environment.gov.za/ScreeningDownloads/AssessmentProtocols/Gazetted Animal Species Assessment Protocols.pdf</a>                     |

# Results of the environmental sensitivity of the proposed area.

The following section represents the results of the screening for environmental sensitivity of the proposed site for relevant environmental themes associated with the project classification. It is the duty of the EAP to ensure that the environmental themes provided by the screening tool are comprehensive and complete for the project. Refer to the disclaimer.

## MAP OF RELATIVE AGRICULTURE THEME SENSITIVITY




| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
|                       | X                |                    |                 |

### Sensitivity Features:

| Sensitivity | Feature(s)       |
|-------------|------------------|
| High        | 08. Moderate     |
| Low         | 03. Low-Very low |
| Low         | 04. Low-Very low |
| Low         | 05. Low          |
| Medium      | 06. Low-Moderate |
| Medium      | 07. Low-Moderate |

## MAP OF RELATIVE ANIMAL SPECIES THEME SENSITIVITY




Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at [eiadatarequests@sanbi.org.za](mailto:eiadatarequests@sanbi.org.za) listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
|                       | X                |                    |                 |

### Sensitivity Features:

| Sensitivity | Feature(s)                         |
|-------------|------------------------------------|
| High        | Aves-Circus ranivorus              |
| High        | Aves-Circus maurus                 |
| High        | Aves-Neotis denhami                |
| Medium      | Aves-Sarothrura affinis            |
| Medium      | Aves-Aquila verreauxii             |
| Medium      | Insecta-Aloeides egerides          |
| Medium      | Reptilia-Bitis armata              |
| Medium      | Invertebrate-Brinckiella aptera    |
| Medium      | Invertebrate-Aneuryphymus montanus |

MAP OF RELATIVE AQUATIC BIODIVERSITY THEME SENSITIVITY




| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
| X                     |                  |                    |                 |

Sensitivity Features:

| Sensitivity | Feature(s)                                    |
|-------------|-----------------------------------------------|
| Very High   | CBA 1: Aquatic                                |
| Very High   | SWSA (SW) _Boland                             |
| Very High   | Wetlands _South Coast Fynbos Bioregion (Seep) |

# MAP OF RELATIVE ARCHAEOLOGICAL AND CULTURAL HERITAGE THEME SENSITIVITY



| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
|                       |                  |                    | X               |

## Sensitivity Features:

| Sensitivity | Feature(s)      |
|-------------|-----------------|
| Low         | Low Sensitivity |

MAP OF RELATIVE CIVIL AVIATION THEME SENSITIVITY




| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
|                       |                  |                    | X               |

Sensitivity Features:

| Sensitivity | Feature(s)      |
|-------------|-----------------|
| Low         | Low sensitivity |

MAP OF RELATIVE DEFENCE THEME SENSITIVITY




| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
|                       |                  |                    | X               |

Sensitivity Features:

| Sensitivity | Feature(s)      |
|-------------|-----------------|
| Low         | Low Sensitivity |

MAP OF RELATIVE PALEONTOLOGY THEME SENSITIVITY




| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
|                       | X                |                    |                 |

Sensitivity Features:

| Sensitivity | Feature(s)                                       |
|-------------|--------------------------------------------------|
| High        | Features with a High paleontological sensitivity |
| Low         | Features with a Low paleontological sensitivity  |

## MAP OF RELATIVE PLANT SPECIES THEME SENSITIVITY



Where only a sensitive plant unique number or sensitive animal unique number is provided in the screening report and an assessment is required, the environmental assessment practitioner (EAP) or specialist is required to email SANBI at [eiadatarequests@sanbi.org.za](mailto:eiadatarequests@sanbi.org.za) listing all sensitive species with their unique identifiers for which information is required. The name has been withheld as the species may be prone to illegal harvesting and must be protected. SANBI will release the actual species name after the details of the EAP or specialist have been documented.

| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
|                       |                  | X                  |                 |

### Sensitivity Features:


| Sensitivity | Feature(s)                           |
|-------------|--------------------------------------|
| Medium      | Acrodon parvifolius                  |
| Medium      | Acrodon subulatus                    |
| Medium      | Delosperma guthriei                  |
| Medium      | Amphithalea virgata                  |
| Medium      | Xiphotheca guthriei                  |
| Medium      | Liparia calycina                     |
| Medium      | Aspalathus chenopoda subsp. gracilis |
| Medium      | Aspalathus excelsa                   |
| Medium      | Aspalathus globulosa                 |
| Medium      | Aspalathus millefolia                |
| Medium      | Aspalathus oblongifolia              |
| Medium      | Aspalathus psoraleoides              |
| Medium      | Aspalathus rosea                     |

|        |                                                                                 |
|--------|---------------------------------------------------------------------------------|
| Medium | <i>Otholobium pungens</i>                                                       |
| Medium | <i>Otholobium rotundifolium</i>                                                 |
| Medium | <i>Otholobium thomii</i>                                                        |
| Medium | <i>Podalyria orbicularis</i>                                                    |
| Medium | <i>Colpoon speciosum</i>                                                        |
| Medium | <i>Thesium ecklonianum</i>                                                      |
| Medium | <i>Berzelia incurva</i>                                                         |
| Medium | <i>Berzelia rubra</i>                                                           |
| Medium | <i>Leucadendron coniferum</i>                                                   |
| Medium | <i>Leucadendron cryptocephalum</i>                                              |
| Medium | <i>Leucadendron elimense</i> subsp. <i>salteri</i>                              |
| Medium | <i>Leucadendron laxum</i>                                                       |
| Medium | <i>Leucadendron linifolium</i>                                                  |
| Medium | <i>Leucadendron modestum</i>                                                    |
| Medium | <i>Leucadendron platyspermum</i>                                                |
| Medium | <i>Leucospermum hypophyllocarpodendron</i> subsp. <i>hypophyllocarpodendron</i> |
| Medium | <i>Leucospermum patersonii</i>                                                  |
| Medium | <i>Leucospermum prostratum</i>                                                  |
| Medium | <i>Protea angustata</i>                                                         |
| Medium | <i>Protea longifolia</i>                                                        |
| Medium | <i>Paranomus abrotanifolius</i>                                                 |
| Medium | <i>Mimetes hirtus</i>                                                           |
| Medium | <i>Mimetes palustris</i>                                                        |
| Medium | <i>Serruria heterophylla</i>                                                    |
| Medium | <i>Serruria inconspicua</i>                                                     |
| Medium | <i>Merciera azurea</i>                                                          |
| Medium | <i>Merciera brevifolia</i>                                                      |
| Medium | <i>Roella arenaria</i>                                                          |
| Medium | <i>Apodytes geldenhuysii</i>                                                    |
| Medium | <i>Manulea exigua</i>                                                           |
| Medium | <i>Selago diffusa</i>                                                           |
| Medium | <i>Pentameris pholiuroides</i>                                                  |
| Medium | <i>Ehrharta setacea</i> subsp. <i>disticha</i>                                  |
| Medium | <i>Ehrharta setacea</i> subsp. <i>uniflora</i>                                  |
| Medium | <i>Lobostemon capitatus</i>                                                     |
| Medium | <i>Echiostachys ecklonianus</i>                                                 |
| Medium | <i>Aristea recisa</i>                                                           |
| Medium | <i>Aristea zeyheri</i>                                                          |
| Medium | <i>Aristea teretifolia</i>                                                      |
| Medium | <i>Tritoniopsis flexuosa</i>                                                    |
| Medium | <i>Geissorhiza bryicola</i>                                                     |
| Medium | <i>Ixia longituba</i> subsp. <i>longituba</i>                                   |
| Medium | Sensitive species 629                                                           |
| Medium | Sensitive species 232                                                           |
| Medium | Sensitive species 458                                                           |
| Medium | Sensitive species 137                                                           |
| Medium | Sensitive species 539                                                           |
| Medium | Sensitive species 499                                                           |
| Medium | Sensitive species 934                                                           |
| Medium | Sensitive species 112                                                           |
| Medium | Sensitive species 1104                                                          |
| Medium | Sensitive species 73                                                            |
| Medium | <i>Pauridia alba</i>                                                            |
| Medium | <i>Oxalis duriuscula</i>                                                        |
| Medium | <i>Erica brachysepala</i>                                                       |
| Medium | <i>Erica capillaris</i> var. <i>capillaris</i>                                  |
| Medium | <i>Erica floccifera</i>                                                         |
| Medium | <i>Erica hendricksei</i> var. <i>hendricksei</i>                                |
| Medium | <i>Erica irregularis</i>                                                        |
| Medium | <i>Erica lageniformis</i>                                                       |

|        |                                                  |
|--------|--------------------------------------------------|
| Medium | <i>Erica melanacme</i>                           |
| Medium | <i>Erica patersonii</i>                          |
| Medium | <i>Erica propendens</i>                          |
| Medium | <i>Erica riparia</i>                             |
| Medium | <i>Erica turrisbabylonica</i>                    |
| Medium | <i>Erica xeranthemifolia</i>                     |
| Medium | <i>Erica radicans</i> subsp. <i>schlechteri</i>  |
| Medium | <i>Erica erina</i>                               |
| Medium | <i>Erica ecklonii</i>                            |
| Medium | <i>Erica williamsiorum</i>                       |
| Medium | <i>Erica paucifolia</i> subsp. <i>paucifolia</i> |
| Medium | <i>Erica paucifolia</i> subsp. <i>ciliata</i>    |
| Medium | <i>Erica hermani</i>                             |
| Medium | <i>Erica ioniana</i>                             |
| Medium | <i>Erica macowanii</i> subsp. <i>lanceolata</i>  |
| Medium | <i>Erica perspicua</i> subsp. <i>latifolia</i>   |
| Medium | <i>Sonderothamnus speciosus</i>                  |
| Medium | <i>Brachysiphon rupestris</i>                    |
| Medium | <i>Chironia stokoei</i>                          |
| Medium | Sensitive species 242                            |
| Medium | Sensitive species 1250                           |
| Medium | Sensitive species 714                            |
| Medium | <i>Centella rupestris</i>                        |
| Medium | Sensitive species 1142                           |
| Medium | <i>Ficinia distans</i>                           |
| Medium | <i>Ficinia elatior</i>                           |
| Medium | <i>Ficinia pinguior</i>                          |
| Medium | <i>Thamnochortus dumosus</i>                     |
| Medium | <i>Thamnochortus pellucidus</i>                  |
| Medium | <i>Elegia fenestrata</i>                         |
| Medium | <i>Anthochortus graminifolius</i>                |
| Medium | <i>Hypodiscus rugosus</i>                        |
| Medium | <i>Restio harveyi</i>                            |
| Medium | <i>Restio paludicola</i>                         |
| Medium | <i>Restio clandestinus</i>                       |
| Medium | <i>Restio anomalus</i>                           |
| Medium | <i>Restio papillosus</i>                         |
| Medium | Sensitive species 501                            |
| Medium | Sensitive species 460                            |
| Medium | Sensitive species 1139                           |
| Medium | <i>Acrolophia ustulata</i>                       |
| Medium | <i>Pterygodium cruciferum</i>                    |
| Medium | <i>Pterygodium bifidum</i>                       |
| Medium | <i>Evotella rubiginosa</i>                       |
| Medium | <i>Gnidia humilis</i>                            |
| Medium | <i>Gnidia ornata</i>                             |
| Medium | <i>Passerina paludosa</i>                        |
| Medium | <i>Metalasia plicata</i>                         |
| Medium | <i>Metalasia tenuifolia</i>                      |
| Medium | <i>Syncarpha zeyheri</i>                         |
| Medium | <i>Zyrphelis corymbosa</i>                       |
| Medium | <i>Zyrphelis spathulata</i>                      |
| Medium | <i>Berkheya angusta</i>                          |
| Medium | <i>Anaxeton lundgrenii</i>                       |
| Medium | <i>Thaminophyllum latifolium</i>                 |
| Medium | <i>Cotula myriophylloides</i>                    |
| Medium | <i>Arctotis angustifolia</i>                     |
| Medium | <i>Pteronia scabra</i>                           |
| Medium | <i>Pteronia tenuifolia</i>                       |
| Medium | <i>Arctotheca forbesiana</i>                     |

|        |                                     |
|--------|-------------------------------------|
| Medium | <i>Cullumia squarrosa</i>           |
| Medium | <i>Osmitopsis glabra</i>            |
| Medium | <i>Diosma subulata</i>              |
| Medium | <i>Euchaetis schlechteri</i>        |
| Medium | <i>Cliffortia ericifolia</i>        |
| Medium | <i>Cliffortia longifolia</i>        |
| Medium | <i>Cliffortia monophylla</i>        |
| Medium | <i>Cliffortia anthospermoides</i>   |
| Medium | <i>Muraltia bolusii</i>             |
| Medium | <i>Muraltia hirsuta</i>             |
| Medium | Sensitive species 719               |
| Medium | Sensitive species 1151              |
| Medium | Sensitive species 547               |
| Medium | <i>Phylica anomala</i>              |
| Medium | <i>Phylica brevifolia</i>           |
| Medium | <i>Phylica lucida</i>               |
| Medium | <i>Phylica virgata</i>              |
| Medium | <i>Orthochilus litoralis</i>        |
| Medium | <i>Skiatophytum skiatophytoides</i> |
| Medium | <i>Lampranthus debilis</i>          |
| Medium | <i>Xiphotheca reflexa</i>           |
| Medium | <i>Aspalathus lebeckioides</i>      |
| Medium | <i>Aponogeton fugax</i>             |
| Medium | <i>Protea aspera</i>                |
| Medium | <i>Paranomus bolusii</i>            |
| Medium | Sensitive species 593               |
| Medium | Sensitive species 800               |
| Medium | Sensitive species 335               |
| Medium | Sensitive species 599               |
| Medium | <i>Elegia squamosa</i>              |
| Medium | <i>Elegia verreauxii</i>            |
| Medium | <i>Restio paludosus</i>             |
| Medium | <i>Restio rigoratus</i>             |
| Medium | Sensitive species 500               |
| Medium | Sensitive species 53                |
| Medium | Sensitive species 654               |
| Medium | Sensitive species 728               |
| Medium | <i>Pachites bodkinii</i>            |
| Medium | <i>Lachnaea grandiflora</i>         |
| Medium | <i>Zostera capensis</i>             |

# MAP OF RELATIVE TERRESTRIAL BIODIVERSITY THEME SENSITIVITY



| Very High sensitivity | High sensitivity | Medium sensitivity | Low sensitivity |
|-----------------------|------------------|--------------------|-----------------|
| X                     |                  |                    |                 |

## Sensitivity Features:

| Sensitivity | Feature(s)                                         |
|-------------|----------------------------------------------------|
| Very High   | ESA 2: Restore from other land use                 |
| Very High   | CBA 2: Terrestrial                                 |
| Very High   | CBA 1: Terrestrial                                 |
| Very High   | SWSA (SW) _Boland                                  |
| Very High   | National Protected Area Expansion Strategy (NPAES) |
| Very High   | EN_Elim Ferricrete Fynbos                          |
| Very High   | CR_Agulhas Limestone Fynbos                        |
| Very High   | EN_Overberg Sandstone Fynbos                       |